

Spare Parts Supplier

Keep your fleet on the road!

2914 LE Nieuwerkerk a/d IJssel The Netherlands E-mail: parts@vanvliet.com Website: www.vanvliet.com

VMA1188 - MAN TGS 41.480 BB AT 8X4	Recommended Maintenance Parts	6 months
Description	Quantity	1
Engine oil filter element	3	
Oil trap parts kit	3	
Oil drain carter plug	1	
Seal for oil drain plug	10	
Fuel filter element	3	
Filter element hand primer	3	
Filter element separator	3	
Air filter element inner	3	
Air filter element outer	3	
Air dryer cartridge	3	
Cab filter	3	
Hydr. fluid filter element steering sys	t 1	
Wiper blade 700MM (2pc)	3	
Ribbed v-belt 8PK1920/28,28	1	
Cylinder head cover gasket	1	
Bulb PY21W-HDLL-24V-21W-BAU15S	-OR 10	
Bulb P21W-HD-24V-21W-BA15S	10	
Bulb R5W-HD-24V-5W-BA15S	10	
Bulb W5W-24V-5W-W2,1X9,5D	10	
Bulb H7-24V-70W-PX26D	10	
Bulb H7-24V-70W-PX26D	10	
Fuel tank cap	1	
Cover for oil filter	1	
O-ring for cover oil filter	1	
Cover fuel filter	1	
O-ring for cover fuel filter	1	
Radiator cover	1	
EXPORT CRATE	1	

Total amount

€ 2.007,50

Package deal: € 1.699,-

incoterms: EXW Nieuwerkerk a/d IJssel

Offered quantities are based on service every +/- 10.000km under 'normal' road and working conditions and trained drivers



Spare Parts Supplier

Keep your fleet on the road!

2914 LE Nieuwerkerk a/d IJssel The Netherlands E-mail: parts@vanvliet.com Website: www.vanvliet.com

VMA1188 - MAN TGS 41.480 BB AT 8X4	Recommended Maintenance Parts	12 months
Description	Quantity	
Engine oil filter element	6	
Oil trap parts kit	6	
Oil drain carter plug	2	
Seal for oil drain plug	10	
Fuel filter element	6	
Filter element hand primer	6	
Filter element separator	6	
Air filter element inner	6	
Air filter element outer	6	
Air dryer cartridge	6	
Cab filter	6	
Hydr. fluid filter element steering syst	t 2	
Wiper blade 700MM (2pc)	6	
Ribbed v-belt 8PK1920/28,28	2	
Cable roller 74X34	2	
Cylinder head cover gasket	1	
Brake pad set front	4	
Set of drum brake linings 18,0 220MN	/I-BVA 2	
Rivet 8X20-ST-MAN183-B1	200	
Tension spring 4X22X242-FST	8	
Bulb PY21W-HDLL-24V-21W-BAU15S-	-OR 10	
Bulb P21W-HD-24V-21W-BA15S	10	
Bulb R5W-HD-24V-5W-BA15S	10	
Bulb W5W-24V-5W-W2,1X9,5D	10	
Bulb H7-24V-70W-PX26D	10	
Bulb H7-24V-70W-PX26D	10	
Cooling water hose lower	1	
Cooling water hose upper	1	
Fuel tank cap	1	
Cover for oil filter	1	
O-ring for cover oil filter	1	
Cover fuel filter	1	
O-ring for cover fuel filter	1	
Radiator cover	1	
EXPORT CRATE	1	

Total amount

€ 4.853,94

Package deal: € 4.299,-

incoterms: EXW Nieuwerkerk a/d IJssel

Offered quantities are based on service every +/- 10.000km under 'normal' road and working conditions and trained drivers



Spare Parts Supplier

Keep your fleet on the road!

2914 LE Nieuwerkerk a/d IJssel The Netherlands E-mail: parts@vanvliet.com Website: www.vanvliet.com

VMA1188 - MAN TGS 41.480 BB AT 8X4	Recommended Maintenance Parts	24 months
Description	Quantity	
Engine oil filter element	12	
Oil trap parts kit	12	
Oil drain carter plug	2	
Seal for oil drain plug	10	
Fuel filter element	12	
Filter element hand primer	12	
Filter element separator	12	
Air filter element inner	12	
Air filter element outer	12	
Air dryer cartridge	12	
Cab filter	12	
Hydr. fluid filter element steering sys	st 4	
Wiper blade 700MM (2pc)	12	
Ribbed v-belt 8PK1920/28,28	3	
Cable roller 74X34	2	
Belt tensioner kit	1	
Cylinder head cover gasket	1	
Brake pad set front	8	
Set of drum brake linings 18,0 220M		
Rivet 8X20-ST-MAN183-B1	300	
Tension spring 4X22X242-FST	16	
Alternator 110A	1	
Starter 90P55 24V	1	
Bulb PY21W-HDLL-24V-21W-BAU155	S-OR 10	
Bulb P21W-HD-24V-21W-BA15S	10	
Bulb R5W-HD-24V-5W-BA15S	10	
Bulb W5W-24V-5W-W2,1X9,5D	10	
Bulb H7-24V-70W-PX26D	10	
Thermostat 83°	2	
Cooling water hose lower	1	
Cooling water hose upper	1	
Fuel tank cap	1	
Cover for oil filter with o-ring	1	
Cover fuel filter with o-ring	1	
Radiator cover	1	
Shock absorber	4	
Shock absorber	4	
Wheel mounting bolt rear	10	
Wheel nut	10	
Wheel mounting bolt front	10	
EXPORT CRATE	2	
Total amount		€ 12.467,42

Package deal: € 10.999,-

incoterms: EXW Nieuwerkerk a/d IJssel

Offered quantities are based on service every +/- 10.000km under 'normal' road and working conditions and trained drivers